



**-GAS FRYER  
-ELECTRIC  
FRYER**

**FRYER**

Sudah tahukah anda tentang mesin gas deep fryer? Mesin ini banyak digunakan oleh kalangan pebisnis restoran di dunia

# ELECTRIC FRYER



SAT-GF71



SAT-GF72

## GENERAL FEATURES

- High grade stainless steel construction, Beautiful & Practical
- Efficient heating element, warming rapidly
- Over-temperature protection, safe & reliable
- Water proof on/off switch with oil resistant protection over

| TYPE      | SAT-GF71      | SAT-GF72      |
|-----------|---------------|---------------|
| CAPACITY  | 6 L           | 6+6 L         |
| VOLTAGE   | 220-240/50 Hz | 110V/60 Hz    |
| POWER     | 3 KW          | 3 + 3 KW      |
| WEIGHT    | 7/6 Kg        | 11/9.5 Kg     |
| DIMENSION | 29x44x28.5 cm | 59x43x28.5 cm |

DIMENSION  
WEIGHT

# GAS FRYER



DEEP FRYER

| TYPE        |                  |                  |                             |                                |             | SAT-RZD3                          | SAT-ZLYLIIB       |
|-------------|------------------|------------------|-----------------------------|--------------------------------|-------------|-----------------------------------|-------------------|
| DESCRIPTION | Gas Fryer Single | Gas Fryer Double | Gas Fryer Single (2 Basket) | Counter top Gas Fryer With Top |             | Gas Fryer (2 basket) with cabinet | 2 Tubes Gas Fryer |
| CAPACITY    | 6 L              | 6 + 6 L          | 13 L                        | 17 L                           | 17 L X 2    | 23 L                              | 25 L              |
| WEIGHT      | 11/10 Kg         | 17.5/16 Kg       | 17/15.5 Kg                  | 34/33 Kg                       | 57/56 Kg    | 70/45 Kg                          | 75.5/50 Kg        |
| DIMENSION   | 290x520x445 mm   | 580x520x445 mm   | 550x520x450 mm              | 34x67x65 cm                    | 63x67x65 cm | 420x920x960 mm                    | 398x700x1100 mm   |

## GENERAL FEATURES

- High grade stainless steel construction, Luxury box design
- Large capacity oil tanks.
- Improving efficiency meet the customer needs
- Thermostat control up to 200°C and provide response to the temperature change
- Temperature limit safety device prevent overheating (Manual reset)
- Water proof on/off switch with oil resistant protection over



| TYPE        | SATR-RZT-2                     | SATR-RZD-3                  | SATR-ZLYL-11B                |
|-------------|--------------------------------|-----------------------------|------------------------------|
| DESCRIPTION | Counter top<br>1-tank 2-basket | standing<br>1-tank 2-basket | High-Kack<br>1-tank 2-basket |
| CAPACITY    | 15 L                           | 20-23 L                     | 20-23 L                      |
| DIMENSION   | 385x700x(450+200) mm           | 385x700x(850+100) mm        | 390x760x(915+255) mm         |

# FRYER



| TYPE        | SATR-PFG-600G      | SATR-PFG-600    | SATR-PFG-500G   | SATR-PFG-500    |
|-------------|--------------------|-----------------|-----------------|-----------------|
| CAPACITY    | 24 L               | 24 L            | 24 L            | 25 L            |
| VOLTAGE     | ~ 220 V 50 - 60 Hz |                 |                 |                 |
| POWER       | 1.5 kw/h           | 12 kw/h         | -               | -               |
| GAS CONSUME | -                  | -               | 0.48 KG/H       | 1.5 KG/H        |
| DIMENSION   | 968x486x1219 mm    | 460x960x1190 mm | 460x960x1190 mm | 460x960x1190 mm |



DEEP FRYER

| TYPE        | SATR-DFE-321    | SATR-DFE-322    | SATR-DFG-321    | SATR-DFG-322    |
|-------------|-----------------|-----------------|-----------------|-----------------|
| CAPACITY    | 30 L            | 2x30 L          | 30 L            | 2x30 L          |
| VOLTAGE     | 3 N             | 380 V / 220 V   | 50 Hz - 60 Hz   |                 |
| POWER       | 13.5 kw/h       | -               | -               | -               |
| GAS CONSUME | -               | 27 kw/h         | -               | -               |
| DIMENSION   | 441x870x1140 mm | 845x870x1140 mm | 441x870x1140 mm | 845x870x1140 mm |



| TYPE      | SATR-PFE-500    | SATR-PFE-600    | SATR-PFE-800    | SATR-MDXZ-16L  |
|-----------|-----------------|-----------------|-----------------|----------------|
| CAPACITY  | 24 L            | 24 L            | 24 L            | 16 L           |
| VOLTAGE   | - 3 ph          | 380 V / 220 V   | 50 - 60 Hz      |                |
| WEIGHT    | 12 kw/h         | 12 kw/h         | 12 kw/h         | 3 kw/h         |
| DIMENSION | 460x960x1190 mm | 460x960x1190 mm | 460x960x1190 mm | 350x400x500 mm |